



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.

Supporting document
Antibiotics database
Functional overview for coordinators





Content


| | | |
|----------|---|-----------|
| 1 | First steps | 3 |
| 1.1 | Logging in to the antibiotics database | 3 |
| 1.2 | Home screen | 4 |
| 1.3 | Change language | 4 |
| 2 | Master data | 5 |
| 2.1 | Show/edit farmer | 5 |
| 2.2 | Create from QS | 7 |
| 2.3 | Without monitoring data | 7 |
| 2.4 | Farms to block (QS delivery) (pig, poultry) | 8 |
| 2.5 | Export of production (cattle, pig) | 8 |
| 2.6 | Import and export production sites (cattle, poultry) | 8 |
| 2.7 | Import and export herds (cattle, poultry) | 10 |
| 2.8 | Single and bulk info letter, create serial letter (mailings)/Mailings | 11 |
| 2.9 | Show veterinarian | 16 |
| 2.10 | Livestock (poultry) | 16 |
| 2.11 | Mailings | 18 |
| 2.12 | Mailing list | 18 |
| 3 | Monitoring | 19 |
| 3.1 | Transfer to HIT (TAM) | 19 |
| 3.2 | Show veterinary drug record | 19 |
| 3.3 | Confirmation of herds/periods without antibiotic treatment | 20 |
| 3.4 | Therapy index | 23 |
| 4 | My profile | 27 |
| 4.1 | Reports & Files | 27 |
| 4.2 | Change password | 28 |
| 4.3 | Settings | 28 |


1 First steps

This supporting document provides information about the antibiotics database. It is supposed to help coordinators to use the database.

1.1 Logging in to the antibiotics database

- You can login to the antibiotics database via the link www.vetproof.de.



- After clicking on  you will be redirected to the login window.
- Enter your username ("Benutzername") and password ("Passwort") to log in.



The screenshot shows the login form on the VetProof website. The form is titled 'qualitytype VetProof' and includes a link to 'News / Änderung (Stand 01.05.2019)'. It has two input fields for 'Benutzername:' and 'Passwort:'. There are two buttons: 'Anmelden' and 'Hilfe'. There are also two links: 'Registrierung Tierarzt' and 'Passwort vergessen'. Below the form, there is a section titled 'Hinweise' with the text: 'Bitte beenden Sie Ihre Arbeit immer über den Abmelden - Button am oberen Bildschirmrand. Verwenden Sie bitte nicht den Zurück - Button Ihres Browsers.'




Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



1.2 Home screen

- You will see this screen directly after logging in:




- Via the menu on the left side you can access the desired function within the corresponding category (Master data, Monitoring, My profile).


1.3 Change language


- The menu item "Einstellungen" (Settings) within the category "Meine Daten" (My profile) offers the possibility to define preferred configurations.




- Change the language ("Sprache") to "Englisch" and confirm your entry with .



Otherwise, you can click on  in the lower right corner of the window.


- In both cases, you will be informed that changing the language will close all open views. Please confirm this with  .





2 Master data

2.1 Show/edit farmer


Show farmer

- Click on "Show/Edit pig farmer", "Show/Edit cattle farmer" or "Show/Edit poultry farmer" in the menu. The company filter (here using the example of a pig farming company) opens:
- Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on  and then select the livestock owner by double-clicking.



- By clicking on  you have the possibility to receive a list of all companies that you coordinate.

- After selecting the company, the “Pig farmer” window opens:




The screenshot shows the 'Pig farmer' window with the following sections:

- Details and contract Data:** VP ID: 179650, Active: yes, Piglet rearing places: 743. Qs number: 4048473800747, Qs audit state: XI (IKB).
- Contact:** Table with columns: Contact type, Display name, Company name, Street, Postal code, Town, Phone numbers, Fax number, Email. Primary contact: Qs Firma Kalb und Schwein.
- Production sites:** Table with columns: Livestock species, Type of stable, Stable name, Section count, Places, Stock, Active, Note, Stable address. One entry for 'Pig' is highlighted in blue.
- Periods without AB therapy:** Section with 'Details' and 'New...' buttons.
- Coordinator:** Table with columns: VP ID, Display name, Qs number. Entry: 112312, TEST Bundler QS, 4048473176426.
- Subcoordinator, Veterinarian, Third parties:** Each with 'Add...' and 'Remove' buttons.

At the bottom right of the window, there is a footer: 'Copyright © 2012-2019 Qualitaz GmbH. All rights reserved. You reach the technical support about the Contact button or phone: +49 52074 8924 2000. Data protection | Imprint'.

Edit farmer








Adapt animal places per quarter (cattle, pig), consider remaining number of animals as loss (poultry)

- Cattle, pig: If you click on  **Edit...** in the upper right corner of the window, you can edit the livestock owner’s name and the animal count per quarter of the company. Confirm your changes with . By selecting the button **Edit history** , you can also adjust quarters from the past.

- Poultry: By ticking the box in the opening window, the remaining number of animals will be counted as loss. Confirm the change with .

Edit production sites

- If you click on a production site (highlighted in blue), you can edit it using the functions in the upper bar:

-  **New...** Create a new production site.
-  **Edit** Opens the chosen entry in a window. You can edit the information about the production site and save the changed entry again.
-  **Delete** Delete the chosen entry completely.
-  **Download** Download the chosen entry as an Excel file.
-  **Move stable...** Moves the selected production site to another livestock owner.
-  **Create loss...** Possibility of registration of losses on a daily basis.
-  **Herds** Leads to the herd of a production site.

Further editing options

- In the other fields you can add or remove a sub-coordinator, a veterinarian or third parties by or .
- The **confirmation of herds/periods without antibiotic treatment** is described separately in *chapter 3.3 Confirmation of herds/periods without antibiotic treatment*.

2.2 Create from QS

- Newly created companies are transferred from the QS database to the antibiotics database via the night synchronization.
- If you want to transfer a company directly to the antibiotics database, select "Create from QS" in the menu. Enter the VVVO farmer and the QS production scope and confirm your entries with .
 - Attention!** Please use this function only if you are sure that the company is completely new in the antibiotics database and was not previously registered in the QS scheme (not even with another coordinator). This applies in particular to companies with VVVO number or production scope changes, as otherwise there may be problems in the master data comparison with the antibiotics database (since duplicate creation must be prevented).

2.3 Without monitoring data

- The function "Without monitoring data" allows you to output a file listing all your bundled companies that do not have monitoring data.
- The following window opens:



- Select the download format (default format or including master data), the corresponding half-year, from which date new companies are to be selected, the production scope and the file format (Excel file or csv file). In the csv format, you have further setting options. Confirm your entry with .
- The file is created. Choose in the following window to display or save the file.



2.4 Farms to block (QS delivery) (pig, poultry)

- Analogous to the function "Without monitoring data", the function " Farms to block (QS delivery)" offers you an overview of all companies that are affected by the withdrawal of the eligibility of delivery into the QS scheme due to deficits (retrieved on a daily basis for master data, including herd data) or can be affected by the withdrawal (retrieved on a quarterly basis (includes the last four quarters completed) for monitoring data).
- Select the download format (default format or including master data), the corresponding half-year, from which date new companies are to be selected, the production scope and the file format (Excel file or csv file). In the csv format, you have further setting options. Confirm your entry with .
- The file is created. Choose in the following window to display or save the file.

2.5 Export of production (cattle, pig)

- If you would like to export the number of animal places of all your managed companies, you will first be asked to select the file format. A file in Excel format and a file in csv format are available. In the csv format you have further setting options. Confirm your entries with .
- The generated table shows you the animal places of your supported companies by single animal production type for the current quarter and the three previous quarters.

| VetProof ID | Animal owner | VVVO Number | Single animal production type | Occupancy of quarter | IV/2019 | III/2019 | II/2019 | I/2019 |
|-------------|------------------|------------------|-------------------------------|----------------------|---------|----------|---------|--------|
| 158869 | Test Schwein | 276124578462514 | 2001 Fattening places | 1500 | 1500 | 1500 | 1500 | 1500 |
| 158869 | Test Schwein | 276124578462514 | 2002 Young sow / boar places | 50 | 50 | 50 | 50 | 50 |
| 158869 | Test Schwein | 276124578462514 | 2004 Sow places | 100 | 100 | 100 | 100 | 100 |
| 158869 | Test Schwein | 276124578462514 | 2008 Piglet rearing places | 2000 | 2000 | 2000 | 2000 | 2000 |
| 160910 | Schweinestandort | 276123451111111 | 2001 Fattening places | 500 | 500 | 500 | 500 | 500 |
| 166883 | dfdf | 2760000000000000 | 2001 Fattening places | | | | | |
| 179650 | Kalb und Schwein | 2760000000000010 | 2008 Piglet rearing places | 743 | 892 | 892 | 745 | |


2.6 Import and export production sites (cattle, poultry)

Import production sites

- In addition to the option of creating production sites manually (see *chapter 2.1 Show/edit farmer*, sub-item "Edit production sites"), you can also import production sites jointly.
- As an import template, you can download the production sites you have created by selecting "Export production site".
- You receive the following table:


| #VVVO No. | Production scope | Type of stable | Stable name | Places | Section | Comment | Street | Zip | Town | Country | Latitude | Longitude | Keeper | Stock | UUID | Farmer | Active |
|-----------------|------------------|----------------|-------------|--------|---------|---------|--------|-----|------|---------|----------|-----------|--------|-------|------------|--------|--------|
| 276000120123854 | 3006 | 3001 | aaa | 5000 | | | | | | | | | | 5000 | d45af3a1-< | Test | Yes |

- Delete the existing data, enter the production sites to be imported and save the file in csv format.
- Then select "Import production site". The following window opens:







- By clicking on the following view is displayed:



- You can browse your PC for the file or drop the file directly into the displayed window. Confirm the entry with . The file name appears in the next window. Confirm this as well.



- If the import is started successfully, the following window opens:



- Explanations to the import reports can be found in *chapter 4.1 Reports & Files*, sub-item "Import reports".

Export production sites


- Via "Export production site" you can download an overview of the deposited production sites of your supervised companies. You can use "Restriction" to display current, archived or all production sites. You can also select Excel or csv as the file format. Confirm your selection with .



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



- The file is created. Choose in the following window to display or save the file.



2.7 Import and export herds (cattle, poultry)

- The import and export of herd data follows the same procedure as the import and export of production sites. The template table contains the following information:

| #VVVO No. | Production scope | Stable name | Herd-id | Animal production | Date of entry | Herd size | Entry age | Entry weight (g) | Origin | Race | Date of exit 2 | Animals for slaughtering 2 | Exit weight 2 (g) | Date of exit 1 | Animals for slaughtering 1 | Exit weight 1 (g) |
|-----------------|----------------------------|-------------------|--------------------|-------------------|---------------|-------------------------------|-------------------------|------------------|----------------|--------|--------------------|----------------------------|------------------------|----------------|----------------------------|-------------------|
| 276000120123854 | 3006 | aaa | aaa | 3001 | 2018-03-21 | 5000 | | | | | | | | | | |
| Date of exit 3 | Animals for slaughtering 3 | Exit weight 3 (g) | Completely reduced | Assign herds | Hatching date | Veterinary drug record exists | Stable UUID | Herd UUID | Type of stable | Farmer | Animal owner vp id | Rehousing | Number of loss animals | Created on | Changed on | |
| | | | No | | | No | 045af3a1-cc3f60331e6-5d | 3001 | Test | 218767 | | | | ##### | | |

- Further details can be found in *chapter 2.5 Import and export production sites (cattle, poultry)*, sub-item "Import and export production sites (cattle, poultry)".



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



2.8 Single and bulk info letter, create serial letter (mailings)/Mailings

Single info letter

- The function "Single info letter" allows you to create an info letter for a specific livestock owner. The following window opens:

- Select a livestock owner using the magnifying glass . The company filter opens.
- Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on and then select the livestock owner by double-clicking. The livestock owner is now deposited behind the magnifying glass .
- Confirm your selection with .
- You can select the desired contents in the following window:



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



Single info letter

Please specify the content

- Cover letter
- Information about monitoring
- Information about antibiotic (Half year)
- Information about antibiotic (Trend)
- Bulletin for calculation of therapy index

■ Set the appropriate ticks here and confirm your selection with .

■ Depending on your selection, you can make further fine adjustments in the following window:

Single info letter

Please specify further settings

Callback contact set in the preferences , Position of letter head set in the preferences

Cover letter with Letterhead coordinator and farmer date Callback contact

Copy text here. The first two lines will be printed bold.

Information about monitoring with Letterhead coordinator and farmer Callback contact

Pig fattening Sow keeping / Piglet rearing

Information about antibiotic (Trend) Letterhead QS or Letterhead coordinator and farmer Callback contact Salutation

Animal group*:

- Fattening pigs Rearing piglets
- Sows Suckling piglets
- Gilt / young boars

Country*: Language*:

Bulletin for calculation of therapy index

- no further settings



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.




- Confirm your selection with . The single info letter is generated. In the following window, select to display or save the info letter.



Bulk info letter

- You can also send the info letters as bulk info letters for all the animal species you coordinate. Optionally, you can enter a list of VVVO numbers.
- Select the production scope and the print settings. All further steps are the same as for creating a single info letter (see previous section).





Qualitätssicherung. Vom Landwirt bis zur Ladentheke.






Create serial letter (mailing)/Mailings

- If you would like to send the info letters by e-mail, you must create a so-called mailing. The antibiotics database offers you two ways to do this:

Create serial letter (mailing)

- The following window opens under the menu item "Create serial letter (mailing)", in which you can among other things adjust the e-mail text:


- Confirm your entries with  .
- In the following, you can choose the print settings, the production scopes to be considered, which contents are to be displayed and their fine adjustments - as with the creation of single and bulk letters. Confirm your selection with  .
- You will receive the following confirmation:




Mailings

- You can use the menu item "Mailings" to create new mailings and send mailings that have already been created, view details, download the single info letters that have been created or view the corresponding mailing reports.






Create mailings



- To create a new mailing this way, click on  **Create...**. Choose as report type between "bulk letter with info about pig farmers", "bulk letter with info about poultry farmers" or "bulk letter with info about cattle farmers". The further steps are analogous to the description of "Create serial letter (mailing)".

Further editing options

- Select an existing mailing to work with it (highlighted in blue). You have the following options:

-  **Send...** Send all letters via e-mail.
-  **Details...** Shows you details (e.g. e-mail text and recipient) of the created mailing. It also shows you how the mailing was sent to each recipient and whether there were any returns. You can also edit the header data of the mailing or send a trial e-mail.
-  **PDF files...** All PDF files of the mailing will be packed into a zip file, which you can download afterwards.
-  **Download...** Download the mailing report of the selected mailing. This gives you an overview of the recipients, the dispatch type and any returns.
-  **Delete** Delete the selected mailing.



2.9 Show veterinarian

- The function "Show veterinarian" opens the following filter:

Veterinarian

Search veterinarian

All

Veterinarian ID:

QS number:

Registration number:

Display name:

Contact: Postal code or town:

Results

Page 1 of 10 (Matches 1-10)

| Veterinar | QS number | Display name | Contact | Town | Company name |
|-----------|-----------|--------------|---------|------|--------------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

- Search for veterinarians registered in the QS scheme and confirm your search query with .

2.10 Livestock (poultry)

Show

- The menu item "Show livestock" gives you an overview of which animal movements were sent to the federal HIT-TAM database and whether these could be successfully created in HIT or which HIT comment is available. The transfer of livestock data takes place to the reporting dates 14 January and 14 July. You can display a complete overview or filter by livestock owner (company number, BNR15), type of use, entrances/exits or HIT remarks.

- Attention!** The HIT-TAM database is the federal antibiotics database in Germany. A report to the HIT-TAM database is therefore only possible and obligatory for German companies.

Loss

Show

- To display the losses for a livestock owner, select the owner using the magnifying glass . The company filter opens.



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



- Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on and then select the livestock owner by double-clicking.
- The livestock owner is now deposited behind the magnifying glass. You have the possibility to limit production sites or the date. Then select .

Register

- If you want to enter losses, select the button .
- The company filter opens. After selecting the company, the following window appears:

The screenshot shows a window titled "Create loss" with a blue header. Below the header, there is instructional text: "You see > relevant herds. You can add the loss. Use the button "create loss" to enter loss. If you see > Is or herds are missing, you have to change the filter criteria." Below this, there are filter options: "Herds since stabling date*:" with a dropdown menu set to "09 / 07 / 2017", a checked checkbox "with rest > 0", and a "show" button. The main content is a table with five columns: "Production site", "Herd", "Date of entry", "Loss animal count", and "Rest animal count". There are three rows of data, each with a "Create loss" button to its right. At the bottom right of the window is a "Close" button.

| Production site | Herd | Date of entry | Loss animal count | Rest animal count | |
|-----------------|------|---------------|-------------------|-------------------|--|
| Stall 1 | ABC | Aug 27, 2019 | 135 | 365 | <input type="button" value="Create loss"/> |
| Stall 1 | DEF | Aug 5, 2019 | | 200 | <input type="button" value="Create loss"/> |
| Stall 1 | 456 | Apr 1, 2019 | | 15 | <input type="button" value="Create loss"/> |

- The window displays all herds of the company. Via "Herds since stabling date" you can change the period. You can also only list herds with a remaining number of animals > 0. Then click on . By clicking on of the desired herd, the following window appears:

Create loss - Stall 1 (276 00 1 00 010 0101)

Please fill in date and animal count.

| | | | | |
|--|--------------|----------------|----------------------|--|
| Herd id: | ABC | Date | Loss animal cour | |
| Date of entry: | Aug 27, 2019 | Oct 20, 2019 | 4 | |
| Herd size: | 5,000 | Oct 22, 2019 | 50 | |
| Animals for slaughtering: | 4,500 | Oct 24, 2019 | 1 | |
| Rehousing number of animals: | | Oct 25, 2019 | 32 | |
| Loss animal count: | 135 | Oct 26, 2019 | 33 | |
| Rest animal count: | 365 | Oct 31, 2019 | 9 | |
| <input type="button" value="Refresh"/> | | Nov 7, 2019 | 5 | |
| | | Nov 9, 2019 | 1 | |
| | | 11 / 28 / 2019 | <input type="text"/> | |
| | | 11 / 28 / 2019 | <input type="text"/> | |
| | | 11 / 28 / 2019 | <input type="text"/> | |
| | | 11 / 28 / 2019 | <input type="text"/> | |
| | | 11 / 28 / 2019 | <input type="text"/> | |

- You now have an overview of the animal numbers of the herd and can enter or edit losses. Then click on .

Further editing options

- Further functions after selecting an existing loss (highlighted in blue) are available:

Edit... Edit the selected loss. Date and number of animals can be edited.

Delete Delete the selected loss.

2.11 Mailings

- The creation of mailings is described in detail in *chapter 2.7 Single and bulk info letter, create serial letter (mailings)/Mailings*.

2.12 Mailing list

- Via the menu item "Mailing list" you can adapt the address data of your bundled companies for the mailing.
- You have the following editing options:







Select the livestock owner via the company filter. It is possible to limit the selection according to the type of company (pig, cattle or poultry farming) or to companies without an e-mail address.









Qualitätssicherung. Vom Landwirt bis zur Ladentheke.





-  Edit... After selecting a company (highlighted in blue), you can adapt the type of dispatch (e-mail, post, no dispatch) and select the e-mail address (company or location address).
-  Edit all... Adapt the dispatch type and e-mail address for all companies (all companies receive the same setting).
-  Address data Compares the address data of the antibiotics database with the QS database.
-  Download... Download the mailing list.

3 Monitoring

3.1 Transfer to HIT (TAM)


- The menu item "Transfer to HIT (TAM)" gives you an overview of the data relevant for HIT from the veterinary drug records in the antibiotics database.
 - **Attention!** The HIT-TAM database is the federal antibiotics database in Germany. A report to the HIT-TAM database is therefore only possible and obligatory for German companies.
- The following filter options are available:
 - Select livestock owner: Click on the magnifying glass  behind the livestock owner to open the company filter. Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on  and then select the livestock owner by double-clicking.
 - Select a veterinarian: Click on the magnifying glass  behind the veterinarian, the window "Veterinarian" opens. Here you can also select the veterinarian directly from the list of hits by double-clicking or enter the veterinarian ID or the name in the search field, click on  and select the veterinarian by double-clicking.
 - Further filter options: Date, document number, animal branch, etc.
- Click on  to display your selection. The  function provides you with the veterinary drug records as Excel or csv file.
- Further functions are:



-  HIT Shows how the selected record was received at HIT (only possible for successfully transferred records).
-  HIT protocol Opens the HIT protocol with information about the transfer of the selected veterinary drug record.

3.2 Show veterinary drug record

- Veterinary drug records belong to the data particularly worthy of protection. As a coordinator, you see the date of submission, the identity of the treated animal group, the number of animals treated, and whether or not these are critical antibiotics with regard to the veterinary drug records of the companies you are coordinating. In order to obtain a complete insight into the veterinary drug records, the livestock owner must activate these for you.


- Click on "Show" in the "Veterinary drug record" menu. The "Veterinary drug records" window opens:






- The filter options correspond to those described in *chapter 3.1 Transfer to HIT (TAM)*. Functions  HIT and  HIT protocol are also available (see above).

3.3 Confirmation of herds/periods without antibiotic treatment

Confirmation of herds without antibiotic treatment (poultry)

- Click on "Denote poultry herds" in the menu "Herds without AB therapy". The company filter opens.
- Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on  and then select the livestock owner by double-clicking.
- The window "Production sites" opens:



- Click on the desired production site. The herds that have been stabled there are now listed.
 - Alternatively, you can display the production sites via the menu item "Show poultry farmer" in the "Master data" section and the function .
- Select the desired herd and click the button .
- The following window opens:



The selected herds have not been therapied with antibiotics.

Fields marked with "*" are mandatory fields.

The selected herds will be marked as "herd is not therapied with antibiotics".

Submitting person*:

Finish Cancel

- Enter your name and confirm your entry with .
- Further editing options in the "Production sites" window (see also *chapter 2.1 Show/edit farmer*, sub-item "Edit production sites"):
 - New... Create a herd.
 - Edit... Edit a herd.
 - Delete Delete a herd.
 - Download Download a herd.
 - Create loss... Register losses.
 - Rehousing Move the herd to another stable (generally from rearing to fattening).
- Via the menu item "Show poultry herds" you can view stored confirmations of herds without antibiotic treatment. You can edit or delete confirmations that you as coordinator have entered.

Confirmation of periods without antibiotic treatment (cattle, pigs)

Denote for cattle or pig farms

- In the "Periods without AB therapy" menu, click on "Denote for pig or cattle, respectively, farms" (here using a pig farming company as an example). The company filter opens.
- Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on and then select the livestock owner by double-clicking.
- The following window opens:

The animals of the selected production types have not been therapied with antibiotics in the selected period.

Fields marked with "*" are mandatory fields.

The selected period will be marked as "period without AB therapy".

Period*:

Submitting person*:

Actor: Test Schwein

VVVO number: 276

Production scope*:

- Pig fattening
- Gilt and boar rearing
- Sow keeping and piglets before weaning
- Piglet rearing

Finish Cancel

Mandatory fields (marked with *) for the confirmation of periods without antibiotic treatment are:


- Period: Select the respective semester
- Submitting person: Enter the name
- Production scope: Select the production scope that has not been therapied with antibiotics.

■ Confirm your entries with .

Show for cattle or pig farms

■ The function "Periods without AB therapy - show for pig farms or cattle farms" gives you an overview of the entered confirmations of periods without antibiotic treatment.

■ The following filter options exist:

- Select livestock owner: Click on the magnifying glass  behind the livestock owner to open the company filter. Select the livestock owner directly from the list of hits by double-clicking or search for him entering the VVVO number or the name, click on and then select the livestock owner by double-clicking.

- Period

- Submitted by

■ Click on to display your selection.

■ Further editing options in the window "Periods without AB therapy - show for pig farms or cattle farms":



Create a confirmation of periods without antibiotic treatment. For more details, see the previous section.



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



Edit...

Edit confirmations of periods without antibiotic treatment that you have submitted as coordinator.



Delete

Delete confirmations of periods without antibiotic treatment that you have submitted as coordinator.




Download...


Download all confirmations of periods without antibiotic treatment.

3.4 Therapy index

Index/Trend based on farm or Index based on herd


- Click on "Index based on farm" or "Trend based on farm", respectively, or "Index based on herd" in the "Therapy index" menu.
- It is possible to filter by animal branch, livestock species, animal group and a particular livestock owner. After setting the filter, click on  to view the desired selection.
- Analysis tip:
 - Filter by a specific animal group and download your selection as an Excel file. In this Excel file you will now find all the companies of this animal group you are responsible for.
 - Click on "Sort and filter" in excel and have the companies displayed in ascending order according to their therapy index. This is how you get a "ranking".

| #Reference date | Animal owner | VVVO animal owner | Production scope | Livestock species | Therapy index | Start of reporting period | End of reporting period | Animal group | TI-CA |
|-----------------|--------------|-------------------|------------------|-------------------|---------------|---------------------------|-------------------------|----------------|-------|
| 01.08.2019 | Name 1 | 276 x | 2001 | Pig | 0,00 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 2 | 276 x | 2001 | Pig | 0,00 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 3 | 276 x | 2015 | Pig | 0,42 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 4 | 276 x | 2015 | Pig | 0,78 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,78 |
| 01.08.2019 | Name 5 | 276 x | 2015 | Pig | 2,15 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 6 | 276 x | 2015 | Pig | 2,51 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 7 | 276 x | 2015 | Pig | 3,57 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 8 | 276 x | 2015 | Pig | 4,04 | 01.01.2019 | 30.06.2019 | Fattening pigs | 2,13 |
| 01.08.2019 | Name 9 | 276 x | 2015 | Pig | 5,03 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |
| 01.08.2019 | Name 10 | 276 x | 2015 | Pig | 6,74 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,53 |
| 01.08.2019 | Name 11 | 276 x | 2015 | Pig | 8,45 | 01.01.2019 | 30.06.2019 | Fattening pigs | 0,00 |




In the same way you can compare the trends of the companies.

| Calculation date | Animal owner | VVVO animal owner | Animal group | Animal occupancy IV/2018 | Trend-Index IV/2018 | Animal occupancy II/2019 | Trend-Index II/2019 | Animal occupancy I/2019 | Trend-Index I/2019 |
|------------------|--------------|-------------------|----------------|--------------------------|---------------------|--------------------------|---------------------|-------------------------|--------------------|
| 01.07.2019 | Name 1 | 276 x | Fattening pigs | 1500 | 0,11 | 1500 | 0,54 | 1500 | 0,00 |
| 01.07.2019 | Name 2 | 276 x | Fattening pigs | 100 | 0,06 | 100 | 0,32 | 100 | 0,22 |
| 01.07.2019 | Name 3 | 276 x | Fattening pigs | 100 | 1,78 | 100 | 0,00 | 100 | 1,34 |
| 01.07.2019 | Name 4 | 276 x | Fattening pigs | 2000 | 3,43 | 2000 | 1,59 | 2000 | 2,81 |
| 01.07.2019 | Name 5 | 276 x | Fattening pigs | 50 | 4,87 | 50 | 2,98 | 50 | 3,49 |



Summary

- Click on "Summary" in the menu "Therapy index".
- Choose a reference date in the filter function as well as the desired animal group and confirm your selection with  .

Benchmark summary x

Summary

Search _____


Reference date:


Animal group*:

All drugs Critical Antibiotics (CA)

- You will now receive the desired overview of the distribution of the therapy indices of the companies you coordinate.

| Therapy index (company) Fattening pigs | Companies | Companies | My companies with index | All QS companies |
|--|-----------|----------------|-------------------------|------------------|
| 0 (0) | 0 | 0.0 % | 0.0 % | 27.2 % |
| 1 (> 0 bis < 1,5) | 1 | 33.3 % | 100.0 % | 37.4 % |
| 2 (1,5 bis < 2,5) | 0 | 0.0 % | 0.0 % | 6.9 % |
| 3 (2,5 bis < 3,5) | 0 | 0.0 % | 0.0 % | 5.4 % |
| 4 (3,5 bis < 4,5) | 0 | 0.0 % | 0.0 % | 4.1 % |
| 5 (4,5 bis < 5,5) | 0 | 0.0 % | 0.0 % | 3.5 % |
| 6 (5,5 bis < 6,5) | 0 | 0.0 % | 0.0 % | 2.6 % |
| 7 (6,5 bis < 7,5) | 0 | 0.0 % | 0.0 % | 2.3 % |
| 8 (7,5 bis < 8,5) | 0 | 0.0 % | 0.0 % | 1.8 % |
| 9 (8,5 bis < 9,5) | 0 | 0.0 % | 0.0 % | 1.3 % |
| 10 (9,5 bis < 10,5) | 0 | 0.0 % | 0.0 % | 1.2 % |
| 11 (10,5 bis < 11,5) | 0 | 0.0 % | 0.0 % | 0.8 % |
| 12 (11,5 bis < 12,5) | 0 | 0.0 % | 0.0 % | 0.8 % |
| 13 (12,5 bis < 13,5) | 0 | 0.0 % | 0.0 % | 0.7 % |
| 14 (13,5 bis < 14,5) | 0 | 0.0 % | 0.0 % | 0.6 % |
| 15 (14,5 bis < 15,5) | 0 | 0.0 % | 0.0 % | 0.6 % |
| 16 (15,5 bis < 16,5) | 0 | 0.0 % | 0.0 % | 0.4 % |
| 17 (16,5 bis < 17,5) | 0 | 0.0 % | 0.0 % | 0.3 % |
| 18 (17,5 bis < 18,5) | 0 | 0.0 % | 0.0 % | 0.3 % |
| 19 (18,5 bis < 19,5) | 0 | 0.0 % | 0.0 % | 0.3 % |
| 20 (19,5 bis < 20,5) | 0 | 0.0 % | 0.0 % | 0.2 % |
| 21 (20,5 bis < 21,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 22 (21,5 bis < 22,5) | 0 | 0.0 % | 0.0 % | 0.2 % |
| 23 (22,5 bis < 23,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 24 (23,5 bis < 24,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 25 (24,5 bis < 25,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 26 (25,5 bis < 26,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 27 (26,5 bis < 27,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 28 (27,5 bis < 28,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 29 (28,5 bis < 29,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 30 (29,5 bis < 30,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| 31 (30,5 bis < 31,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 32 (31,5 bis < 32,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 33 (32,5 bis < 33,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 34 (33,5 bis < 34,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 35 (34,5 bis < 35,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 36 (35,5 bis < 36,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 37 (36,5 bis < 37,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 38 (37,5 bis < 38,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 39 (38,5 bis < 39,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 40 (39,5 bis < 40,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 41 (40,5 bis < 41,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 42 (41,5 bis < 42,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 43 (42,5 bis < 43,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 44 (43,5 bis < 44,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 45 (44,5 bis < 45,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 46 (45,5 bis < 46,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 47 (46,5 bis < 47,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 48 (47,5 bis < 48,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| 49 (48,5 bis < 49,5) | 0 | 0.0 % | 0.0 % | 0.0 % |
| >49 (ab 49,5) | 0 | 0.0 % | 0.0 % | 0.1 % |
| Result companies with index | 1 | 33.3 % | 100.0 % | 100.0 % |
| No index investigatable | 2 | 66.7 % | | |
| Not yet index ("new farmers") | 0 | 0.0 % | | |
| Total result | 3 | 100.0 % | | |

- This overview is available as an Excel download as well. For this, click on  Download...
- The diagram belonging to this overview can be displayed under "Chart". The chart compares the companies you are responsible for with all other companies in the QS scheme.



Benchmark

- Click on "Benchmark" in the menu "Therapy index" to display a specific company you are managing in comparison to all QS companies in an animal group.
- In the filter function, select a reference date, the desired animal group and the desired livestock owner and confirm your selection with .

Benchmark

Search

Reference date: 09 / 24 / 2019


Animal group*: [dropdown]

Animal owner: [search icon]

All drugs Critical Antibiotics (CA)

- You receive the evaluation of the desired company. This includes the calculated therapy index of the company as well as the values for the median and the 3rd quartile of all QS companies of the corresponding animal group. A chart illustrates the comparison between the selected company and all other QS companies of the animal group.


| | | | |
|-------------------|----------------------------|-------------------|---|
| Animal owner: | Schweinestandort | Production scope: | Pig fattening |
| VVO animal owner: | 276 12 3 45 111 1111 | QS number: | 4048473657143 |
| Report day: | Aug 1, 2019 | Animal group: | Fattening pigs |
| Reporting period: | Jan 1, 2019 - Jun 30, 2019 | Therapy index: | 0.01 Own farmer |
| Therapy period: | Jan 1, 2019 - Jun 30, 2019 | Therapy index: | 2.56 Average of QS-Farmers with Fattening pigs |
| | | Therapy index: | 0.37 Median of QS-Farmers with Fattening pigs |
| | | Therapy index: | 3.13 3.Quartile (75%) of QS-Farmers with Fattening pigs |



- Via [Download...](#) you can download the diagram with the corresponding reference values as a PDF file.
- Click [History](#) to go to the history of the selected company.


History

- Click on "History" in the menu "Therapy index".
- Select a reference date, the animal group and the desired livestock owner via the operational filter and click on [Show](#).
- You will get a chart of the previous reporting periods in which you can evaluate the development of the company's therapy index.





Therapy index for critical antibiotics

- You can also display all the above evaluations specifically for critical antibiotics.
 - In "Therapy index based on farm" the display appears automatically in the last column auf the evaluation scheme ("TI-CA").
 - For all other evaluations click on "Critical Antibiotics (CA)" in the filter options and afterwards on  .

4 My profile


4.1 Reports & Files


Downloads

- The download overview enables to download already created files. To do this, select the corresponding data record (highlighted in blue) and select the desired function in the upper right corner of the window.



Import reports


- The overview of the import reports serves to ensure a successful import of your data sets. You get an overview of the create date, the import type, status and duration and the data record (added, changed, incorrect).
- After selecting a data set (highlighted in blue) you can download the corresponding import report via  Import report... . The following window opens:



- Regarding incorrect data sets, you can download the data set, the data set + error report or only the error report. Click on or .
- **Attention!** It is necessary to re-import incorrect data records. There is no automatic error correction.

4.2 Change password

- Click on "Change Password".
- Enter your old and new password and repeat the new password.
- Then press .



4.3 Settings

- The menu item "Settings" offers the possibility to define preferred configurations.
- **General:** Here you can specify the language. The antibiotics database is available in German and English. Confirm your entries with .
- **Import / Export:** Here you can specify the file format of your files for import and export or restore the default values.
- **Info letter:** In this sub-item you can define the contact persons that are printed in the info letters. You can also change the position of the address block. Confirm your entries with and then with .



Qualitätssicherung. **Vom Landwirt bis zur Ladentheke.**



QS Qualität und Sicherheit GmbH

Managing Director: Dr. H.-J. Nienhoff

Schedestraße 1-3
53113 Bonn

Tel +49 228 35068-0
Fax +49 228 35068-10

info@q-s.de
www.q-s.de

Photos: QS